



Certificate No. 02-004122/025909

## TYPE APPROVAL CERTIFICATE

This is to certify that this product complies with the Rules for the classification of ships, Part 1 - General requirements, Chapter 3 - Type approval of products.

TYPE AND DESCRIPTION OF PRODUCT:

**DIESEL ENGINE**  
Type  
**S2000 PLD**

MANUFACTURER:

**ROLLS-ROYCE SOLUTIONS GmbH**  
Maybachplatz 1  
88045 Friedrichshafen  
Germany

THE PRODUCT MEETS FOLLOWING RULES/REGULATIONS:

**Rules for the Classification of Ships, Part 9-Machines**

FURTHER DETAILS OF THE PRODUCT AND CONDITIONS FOR CERTIFICATION ARE GIVEN OVERLEAF.

APPROVAL IS VALID UNTIL: **2027-07-06**

Place and date: Split, 2023-07-06

Seal

Marinko Popović, dipl.ing.

NOTE: This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Croatian Register of Shipping of any modification or changes to the product in order to obtain a valid certificate.

**DETAILED PRODUCT DESCRIPTION:**

Number of cylinders	<b>12, 16</b>
Cylinder arrangement	<b>In-Vee</b>
Working cycle	<b>4- stroke</b>
Cylinder bore (mm)	<b>130</b>
Stroke (mm)	<b>150</b>
Kind of fuel	<b>Liquid</b>
Fuel system	<b>Cam control, direct injection type</b>
Valve operation	<b>Cam control</b>
Turbocharging system	<b>Constant pressure, with charge air cooling</b>

**APPLICATION / LIMITATIONS:**

**Application: Propulsion**

Engine model	<b>M60</b>	<b>M61</b>	<b>M70</b>	<b>M90</b>
Rated power (kW/cyl.)	<b>50</b>	<b>50</b>	<b>65,6</b>	<b>83,9</b>
Rated speed (rpm)	<b>1800</b>	<b>1800</b>	<b>2100</b>	<b>2300</b>
Mean effective pressure (bar)	<b>16,7</b>	<b>16,7</b>	<b>18,8</b>	<b>22</b>

**Application: Auxiliary and emergency**

Engine model	<b>M50A</b>	<b>M51A</b>	<b>M50B</b>	<b>M51B</b>
Rated power (kW/cyl.)	<b>41,5</b>	<b>41,5</b>	<b>50</b>	<b>50</b>
Rated speed (rpm)	<b>1500</b>	<b>1500</b>	<b>1800</b>	<b>1800</b>
Mean effective pressure (bar)	<b>16,7</b>	<b>16,7</b>	<b>16,7</b>	<b>16,7</b>

**Application: Auxiliary and emergency**

Engine model	<b>M40</b>	<b>M41A</b>	<b>M40B</b>	<b>M41B</b>
Rated power (kW/cyl.)	<b>48</b>	<b>48</b>	<b>58</b>	<b>58</b>
Rated speed (rpm)	<b>1500</b>	<b>1500</b>	<b>1800</b>	<b>1800</b>
Mean effective pressure (bar)	<b>19,3</b>	<b>19,3</b>	<b>19,4</b>	<b>19,4</b>

Power ratings (at the same rated speed) lower than those stated is accepted as long as they are within the values approved by engine designer

**TYPE APPROVAL DOCUMENTATION:**

Approved by the Croatian Register of Shipping with letters No.(dated):

33/TS/020477/BŠ	(1998-01-12)
2210/TS/IA/023505	(2013-10-011)
1314/TS/IA/023782	(2015-07-02)

**MARKING OF PRODUCT:**

- manufacturer's mark
- location and year of final fitting
- CRS mark

**CONDITIONS FOR CERTIFICATION:**

Signalization and protection related to the engine shall be subject to CRS approval in each particular case and will depend on service applied and the degree of automation of the engine plant.